Industrial Solutions for CO₂ Capture and Utilization

ECRA/CEMCAP/CLEANKER Workshop Brussels, October 17th, 2018

Prof. Dr. Georg Locher thyssenkrupp Industrial Solutions, Business Unit Cement Technologies



SOCIETY

ENVIRONMENT

BUSINESS



Cement industry in changing times


The sustainability concept - United Nations global agenda for change





Oxyfuel technology

"Standard Oxyfuel" for retrofit of existing plants



Benefits

Technically developed up to industrial scale, i. e. "ready to market"


Designed with focus on retrofits of existing plants

Oxyfuel technology retrofit technically feasible with a high degree of maturity



Oxyfuel technology

"Pure Oxyfuel" for new plants



Benefits

Decreased investment costs, compared to "Standard Oxyfuel"

- Size reduction of preheater tower
- Size reduction of kiln line (~2,5 x smaller)
- Less expenses for auxiliaries
- Waste heat recovery not necessary

Decreased operational costs

- Less volume flow (combustion gases)
- No recirculation

Oxyfuel technology for new plants under development



Oxyfuel market

Scenarios for market assessments

Scenarios


Expected implementation order of CO₂-saving measures

First (and ongoing) steps of customers

- 1. Clinker factor reductions
- 2. Thermal efficiency improvements
- 3. Maximization of fossil fuel substitution

Second step for customers

- 4. Application of Oxyfuel process
- 2 potential scenarios (out of many)




Oxyfuel market depending on society, i. e. legislation



Oxyfuel market

Total market for selected countries

Overview: Western Europe, USA & India



Key messages

Markets¹

Industrialized countries
 Focus on retrofit

Developing countries
 Focus on new plants

Total Market (cumulated until 2030):

• Europe 5,000 - 10,000 Mio. €

• USA 2,500 - 5,000 Mio. €

• India 5,000 - 20,000 Mio. €

Total Market (cumulated until 2050):

• Europe 10,000 - 20,000 Mio. €

• USA 8,000 - 12,000 Mio. €

India
 40,000 - 60,000 Mio. €


Significant Oxyfuel market, however, depending almost completely on society, i. e. legislation

¹Internal calculations based on ECRA Technology Papers, 2017



thyssenkrupp Industrial Solutions

Power-to-X Strategy – Several Options for CCU application



Carbon usage technologies technically feasible with a high degree of maturity



| October 17th, 2018 | Industrial Solutions for CO₂ Capture and Utilization | Georg Locher



Methanol and Synthetic Natural Gas (SNG) synthesis

Application to the cement industry

Gross potentials for a small (e. q. 1,000 t/d) cement plant


Assumptions: 830 kg CO_2 per ton clinker, losses neglected

830 t/d CO_2 Methanol production $CO_2 + 3 H_2 \rightarrow CH_3OH + H_2O$ 114 t/d H_2 340 t/d H_2O


830 t/d CO₂

SNG production $CO_2 + 4 H_2 \rightarrow CH_4 + 2 H_2O$ 679 t/d H₂0

Capacities for a 5 MW electrolysis plant for H₂-supply



 H_2 -supply for Methanol production covers the requirement to convert 2 % of the CO_2 production of a 1,000 t/d cement plant



 $\rm H_2$ -supply for SNG production covers the requirement to convert 1.5 % of the $\rm CO_2$ production of a 1,000 t/d cement plant

CO₂-conversion into Methanol and SNG is highly energy-intensive

thyssenkrupp Industrial Solutions


October 17th, 2018 | Industrial Solutions for CO₂ Capture and Utilization | Georg Locher



CO₂-utilization and Renewable Energies supply

Sample estimations for Germany

Energy demand and SNG production



• Clinker production rate 23 Mio. [t_{cli}/a]

Energy demand 200.000.000 [MWh/a]

Average power consumption 22 [GW]

• CH₄ production (methanation) 2,300 Mio. [m³ CH₄/a] (stp)

Renewable energy potentials Germany

Photovoltaics (900 load hours per year)

 Currently installed 	45 GW ¹
 Currently exploited 	5 GW ¹

Potential roof and facade areas 290 GW_{peak}²

Potential brownfield areas
 280 GW_{peak}²

Wind onshore (2,400 load hours per year)

• Currently installed 53 GW¹

• Currently exploited 16 GW¹

• Potential (conservative) 200 GW³

Potential (maximum) 1,200 GW⁴

Wind offshore (4,000 load hours per year)

Currently installed
 6 GW¹

• Currently exploited 3 GW¹

Potential (optimistic)
 30 - 50 GW⁵

Total renewable energy potential for Germany

500 GW - 2,000 GW



¹Fraunhofer Energy Charts 2018, ²Fraunhofer IWES 2012, ³Fraunhofer IWES 2011, ⁴ Umweltbundesamt 2013, ⁵ECN 2011

CO₂-conversion into Methanol and SNG is highly energy-intensive



9 | October 17th, 2018 | Industrial Solutions for CO₂ Capture and Utilization | Georg Locher



Fake News! But may be real news soon!

Frankfurter Allgemeine Nov 12, 2018 European Cement producer under public pressure after China's market introduction of CO2-neutral cement.

深圳市 Shenzhen: First CO2neutral Cement Plant in Operation, ten to follow soon.

> Greenhous gases World is grinning about Europe's helpless reaction on China's first CO₂-free cement

Nov. 22, 2018

Fake news!

CORRIERE

DELLA SERA Stock prices of European cement producers plunge downward after China's market introduction of CO₂-free cement.

China taking the lead in environmental protection! First Zero CO₂-Emissions Cement Plant operating in

> Nov. 8, 2018 European Parliament under pressure after first CO₂-free cement is produced in China. Funding of the European Cement industry's two CO2 free cement demonstration plants got stuck for years in EU bureaucracy.

Climate Change THE Europe debating - US denying - China starts with the production of the first

Nov. 1, 2018

The Telegraph May 5, 2021 Darge Chinese Cement manufacturer starts up first new CO2-free. cment plant based o thyssenkrupp technology.


China's answer on climate change first buildings under construction based on CO₂-neutral cement.





Emission Trading Systems emerging world-wide

21 trading systems in force (end of 2017), covering 28 jurisdictions representing 50 % of the Gross Domestic Product



China launched an Emission Trading system in late 2017



Cement industry in changing times

Conclusions

Carbon Capture and Carbon Usage for cement plants in Europe

- allow for a sustainable development and require now primarily for adoption from Society (i. e. public and politics)
- are technically feasible with a high degree of maturity
- underline the necessity to speed up with the development of renewable energies
- show the obligation of searching for other CO₂-sinks, e. g.
 Carbon Storage techniques
- should underline the European claim for leadership in climate protection

